

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	5	(torque adj strut).ti.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/24 10:02
S47	0	vibration near2 (link or strut) and deform\$4 and manufactur\$6	EPO; JPO; DERWENT	OR	OFF	2004/12/20 14:07
S48	9	vibration near2 (link or strut) and deform\$4	EPO; JPO; DERWENT	OR	OFF	2004/12/20 19:06
S49	9	torque near2 (link or strut) and deform\$4	EPO; JPO; DERWENT	OR	OFF	2004/12/20 14:11
S57	1517	(torque adj (link or support or strut))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 16:43
S58	2397726	engine or vehicle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 16:15
S59	538	S57 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 16:15
S60	656101	deform\$4 or caulk\$4 or swag\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 16:23
S61	59	S59 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 16:16
S62	72804	caulk\$4 or swag\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 16:43
S63	8	S57 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 16:24
S64	86	S57 and cast	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 16:30

S71	9	(torque adj (link or support or strut)) and manufactur\$4	EPO; JPO; DERWENT	OR	OFF	2004/12/20 16:44
S72	0	(torque adj (link or support or strut)) and stak\$4	EPO; JPO; DERWENT	OR	OFF	2004/12/20 16:45
S73	9	(torque adj (link or support or strut)) and stak\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 16:46
S74	3081	(elast\$6 and (link or support or strut)) and stak\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 19:10
S75	43	(elast\$6 and (link or support or strut)) and stak\$4	EPO; JPO; DERWENT	OR	OFF	2004/12/20 16:48
S84	3194	f16f001/38.ipc.	EPO; JPO; DERWENT	OR	OFF	2004/12/20 17:08
S86	210	deform\$4 and S84	EPO; JPO; DERWENT	OR	OFF	2004/12/20 17:08
S87	10	punch\$4 and S84	EPO; JPO; DERWENT	OR	OFF	2004/12/20 17:10
S88	26	cast\$4 and S84	EPO; JPO; DERWENT	OR	OFF	2004/12/20 17:15
S89	505	assembl\$4 and S84	EPO; JPO; DERWENT	OR	OFF	2004/12/20 17:16
S10 7	165	bushing same bracket same staked	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 18:16
S10 8	42	S107 and mount	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 18:15
S10 9	15	bushing same bracket same staked	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/20 18:25
S11 0	182	staking same bushing\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/20 18:24
S11 4	31	staking adj groov\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/20 18:58

S11 5	3	grumman adj groov\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/20 18:32
S11 6	14165	v-groov\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/20 18:32
S11 7	2564	v-groov\$2 and (bearing or bushing)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/20 18:32
S11 8	690	v-groov\$2 same (bearing or bushing)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/20 18:33
S11 9	139	v-groov\$2 same (bearing or bushing)	EPO; JPO; DERWENT	OR	OFF	2004/12/20 18:33
S12 4	19	staking adj2 groov\$2	USOCR; EPO; JPO; DERWENT	OR	OFF	2004/12/20 18:49
S12 6	62	stak\$3 adj groov\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/20 18:58